acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Date of compilation: 2015-05-26 Replaces version of: 2015-05-21 (GHS 2) SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 **Product identifier Non-Ferrous Upgrade** Trade name 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses soak tank cleaner Uses advised against do not use for squirting or spraying do not use for products which come into direct contact with the skin 1.3 Details of the supplier of the safety data sheet **MVP** Distributing 2854 S Featherly Way Boise, ID 83709 208-859-6000 Competent person responsible for the SDS Robert Blahnik **Emergency telephone number** 1.4

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency telephone number.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Annex	 Hazard class and category 	- Haza	ard statement code(s)	
A.2	skin corrosion/irritation	Cat. 1A	(Skin Corr. 1A)	H314
A.3	serious eye damage/eye irritation	Cat. 1	(Eye Dam. 1)	H318
A.8R	specific target organ toxicity - single exposure	Cat. 3	(STOT SE 3)	H335
	(respiratory tract irritation)			

Remarks

For full text of H-phrases: see SECTION 16.

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral). Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2)

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word

ii word

Pictograms

GHS05, GHS07



danger

Hazard statements

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

Precautionary statements

Precautionary statements - prevention

Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statements - storage

Store in a well-ventilated place. Keep container tightly closed.

Precautionary statements - disposal

Dispose of contents/container to industrial combustion plant.

Hazardous ingredients for labelling

sodium metasilicate, anhydrous, sodium carbonate

Date of compilation: 2015-05-26

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Hazard o	class and category	Hazard state- ment
sodium metasilicate, anhydrous	CAS No 6834-92-0	25 - < 50	A.1O A.2 A.3 A.8R	Acute Tox. 4 Skin Corr. 1A Eye Dam. 1 STOT SE 3	H302 H314 H318 H335
sodium carbonate	CAS No 497-19-8	25 - < 50	A.2 A.3	Skin Corr. 1A Eye Dam. 1	H314 H318

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2)

Name of substance	Identifier	Wt%	Hazard o	class and category	Hazard state- ment
Alcohols,C6-10,ethoxylatedpropoxylated	CAS No 68603-25-8	1 - < 5	A.2 A.3	Skin Irrit. 2 Eye Irrit. 2A	H315 H319
sodium nitrite	CAS No 7632-00-0	< 1	B.14 A.1O	Ox. Sol. 3 Acute Tox. 3	H272 H301

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential. Explosive when mixed with combustible material.

Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

United States BB 00625 SDS-05 Date of compilation: 2015-05-26

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2) Date of compilation: 2015-05-26

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains. - Take up mechanically.

Advices on how to clean up a spill

Take up mechanically. Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

Reference to other sections

Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

Warning

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2) Date of compilation: 2015-05-26

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

• Explosive atmospheres

Removal of dust deposits.

Incompatible substances or mixtures

Observe compatible storage of chemicals.

Consideration of other advice

Ventilation requirements

Use local and general ventilation.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
US	dipropylene glycol methyl ether	34590-94-8	PEL	100	600			29 CFR OSHA
US	particulates not otherwise regulated (PNOR)		PEL		15			29 CFR OSHA
US	particulates not otherwise regulated (PNOR)		PEL		5			29 CFR OSHA

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified.

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average.

Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2) Date of compilation: 2015-05-26

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

hand protection

Wear protective gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	solid (powder, granular)
Color	white
Odor	characteristic
Other physical and chemical parameters	
pH (value)	
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not applicable (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	
Explosion limits of dust clouds	not determined
Vapor pressure	not determined
Density	not determined
Relative density	Information on this property is not available.
Solubility(ies)	
Water solubility	miscible in any proportion

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2) Date of compilation: 2015-05-26

Partition coefficient	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	not determined
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidizing properties	none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

10.5 Incompatible materials

There is no additional information.

Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2) Date of compilation: 2015-05-26

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
sodium metasilicate, anhydrous	6834-92-0	oral	1280
sodium nitrite	7632-00-0	oral	100

none of the ingredients are listed

none of the ingredients are listed

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Carcinogenicity

- National Toxicology Program (United States):
- IARC Monographs

Specific target organ toxicity (STOT)

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium carbonate	497-19-8	LC50	300 ^{mg} / _l	fish	96 hours
sodium carbonate	497-19-8	EC50	227 ^{mg} / _l	aquatic invertebrates	48 hours
Alcohols,C6- 10,ethoxylatedpropoxylated	68603-25-8	LC50	8.7 ^{mg} / _l	rainbow trout	96 hours
Alcohols,C6- 10,ethoxylatedpropoxylated	68603-25-8	EC50	12.61 ^{mg} / _l	daphnia	48 hours

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2)

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium carbonate	497-19-8	LC50	385 ^{mg} / _l	fish	24 h
sodium carbonate	497-19-8	EC50	403 ^{mg} / _l	aquatic invertebrates	24 h

12.2 Process of degradability

Data are not available.

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Alcohols,C6- 10,ethoxylatedpropoxylate d	68603-25-8	oxygen depletion	62 %	28 d

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

13.3 Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Date of compilation: 2015-05-26

Safety Data Sheet acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Versior Replac	number: GHS 3.0 es version of: 2015-05-21 (GHS 2)	Date of compilation: 2015-05-26
SEC	TION 14: Transport information	
14.1	UN number	1759
14.2	UN proper shipping name	CORROSIVE SOLID, N.O.S.
	Hazardous constituents	sodium carbonate, sodium metasilicate, anhydrous
14.3	Transport hazard class(es)	
	Class	8 (corrosive substances)
14.4	Packing group	III (substance presenting low danger)
14.5	Environmental hazards	none (non-environmentally hazardous acc. to the danger- ous goods regulations)
14.6	Special precautions for user	
	There is no additional information.	
14.7	Transport in bulk according to Annex II of MARPOL 7 The cargo is not intended to be carried in bulk.	3/78 and the IBC Code
14.8	Information for each of the UN Model Regulations	
	Transport of dangerous goods by road or rail (49 CF	R US DOT)
	Index number	1759
	Proper shipping name	Corrosive solid, n.o.s.
	Class	8
	Packing group	III
	Danger label(s)	8
	Special provisions (SP)	128, IB8, IP3, T1, TP33
	ERG No	154
	International Maritime Dangerous Goods Code (IMD	G)
	UN number	1759
	Proper shipping name	CORROSIVE SOLID, N.O.S.
	Class	8
	Packing group	III
	Danger label(s)	8
	Special provisions (SP)	223, 274
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 kg

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2)	Date of compilation: 2015-05-26
EmS	F-A, S-B
Stowage category	В
 International Civil Aviation Organization (ICAO-IATA/I 	DGR)
UN number	1759
Proper shipping name	Corrosive solid, n.o.s.
Class	8
Packing group	III
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

SARA TITLE III (Superfund Amendment and Reauthorization Act)

List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section none of the ingredients are listed 302 and 304)

Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313)

Name of substance	CAS No	Remarks	Effective date
sodium nitrite	7632-00-0		1995-01-01

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System (American Coatings Association)

Category	Rating	Description
Chronic	/	None.
Health	3	Major injury likely unless prompt action is taken and medical treatment is given.
Flammability	1	Materials that must be preheated before ignition can occur.
Physical hazard	0	Materials that are normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosives.
Personal protective equipment	-	

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2) Date of compilation: 2015-05-26

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States) - National Fire Protection Association (United States)

Category	Degree of hazard	Description	
Flammability	1	Materials that must be preheated before ignition can occur.	
Health	3	Materials that, under emergency conditions, can cause serious or permanent injury.	
Instability	0	Materials that are normally stable, even under fire conditions.	
Special hazard			

Right to Know Hazardous Substance List

Name of substance	CAS No	Remarks	Classifications
sodium nitrite	7632-00-0		

Category

1B

3

Proposition 65 List of chemicals

none of the ingredients are listed

Hazard class and category

(Skin Corr. 1B)

(STOT SE 3)

Relevant European Union (EU) safety, health and environmental provisions

Classification according to GHS (1272/2008/EC, CLP)

Hazard class skin corrosion/irritation specific target organ toxicity - single exposure (respiratory tract irritation)

SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.3	Details of the supplier of the safety data sheet: B&B Blending, LLC 10963 Leroy Drive Northglenn CO 80233 United States Telephone: 1.800.875.6320, 1.303.289.6320 Telefax e-mail: info@bbblending.com Website: bbblending.com	Details of the supplier of the safety data sheet: MVP Distributing 2854 S Featherly Way Boise, ID 83709 208-859-6000
1.3	e-mail (competent person): bblahnik@bbblending.com	

16.2 Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR OSHA	29 CFR §1910.1001 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation
Acute Tox.	acute toxicity

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Date of compilation: 2015-05-26

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2)

Abbr.	Descriptions of used abbreviations
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC Monographs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
NFPA® 704	National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)
NPCA-HMIS®	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
Ox. Sol.	oxidizing solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STOT SE	specific target organ toxicity - single exposure
vPvB	very Persistent and very Bioaccumulative

16.3 Key literature references and sources for data

- OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200 49 CFR \S 172.101 Hazardous Materials Table (DOT) -

-

acc. to OSHA, Appendix D to § 1910.1200

Non-Ferrous Upgrade

Version number: GHS 3.0 Replaces version of: 2015-05-21 (GHS 2) Date of compilation: 2015-05-26

16.4 Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards/Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

16.5

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	may intensify fire; oxidizer
H301	toxic if swallowed
H302	harmful if swallowed
H314	causes severe skin burns and eye damage
H315	causes skin irritation
H318	causes serious eye damage
H319	causes serious eye irritation
H335	may cause respiratory irritation

16.7

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.