acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

SECTION 1: Identification

1.1 Product identifier

Trade name MVP Premium Red Vehicle Wash Powder

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses vehicle wash powder

Uses advised against do not use for squirting or spraying

do not use for products which come into direct contact with

the skin

1.3 Details of the supplier of the safety data sheet

MVP Distributing 2854 S Featherly Way Boise, ID 83709 208-859-6000

Competent person responsible for the SDS

Robert Blahnik

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500 24 hour emergency telephone number.

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Annex	 Hazard class and category 	- Haz	ard statement code(s)	
A.2	skin corrosion/irritation	Cat. 1A	(Skin Corr. 1A)	H314
A.3	serious eye damage/eye irritation	Cat. 1	(Eye Dam. 1)	H318
A.8R	specific target organ toxicity - single exposure	Cat. 3	(STOT SE 3)	H335
	(respiratory tract irritation)			

Remarks

For full text of H-phrases: see SECTION 16.

Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and chronic).

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).

May be harmful if swallowed (GHS category 5: acutely toxic - oral).

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word danger

Pictograms

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

GHS05, GHS07



Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

Precautionary statements - prevention

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/eye protection/face protection.

Precautionary statements - response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Precautionary statements - storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Precautionary statements - disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous ingredients for labelling

sodium carbonate, sodium metasilicate, anhydrous, benzenesulfonic acid, C10-16 alkyl derivatives, sodium salts

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Hazard o	class and category	Hazard state- ment
sodium carbonate	CAS No 497-19-8	25 - < 50	A.2 A.3	Skin Corr. 1A Eye Dam. 1	H314 H318
sodium metasilicate, anhydrous	CAS No 6834-92-0	10 - < 25	A.1O A.2 A.8R	Acute Tox. 4 Skin Corr. 1B STOT SE 3	H302 H314 H335

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

Name of substance	Identifier	Wt%	Hazard o	class and category	Hazard state- ment
benzenesulfonic acid, C10-16 alkyl derivatives, sodium salts	CAS No 68081-81-2	10 - < 25	A.1O A.2 A.3 A.8R	Acute Tox. 4 Skin Irrit. 2 Eye Dam. 1 STOT SE 3	H302 H315 H318 H335
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	1 - < 5	A.3	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of firs- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains. - Take up mechanically.

Advices on how to clean up a spill

Take up mechanically. Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

Warning

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Explosive atmospheres

Removal of dust deposits.

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

Incompatible substances or mixtures

Observe compatible storage of chemicals.

Consideration of other advice

Ventilation requirements

Use local and general ventilation.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to DOT) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Source
US	dipropylene glycol methyl ether	34590-94-8	PEL	100	600			29 CFR OSHA
US	particulates not otherwise regulated (PNOR)		PEL	1,766	15			29 CFR OSHA
US	particulates not otherwise regulated (PNOR)		PEL	529.5	5			29 CFR OSHA

Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless

otherwise specified.

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted

average.

Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

hand protection

Wear protective gloves.

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state solid (powder)

Color pink

Odor characteristic

Other physical and chemical parameters

pH (value) 12.9 (water: $50 \frac{\text{mg}}{\text{l}}$) (base)

Melting point/freezing point not determined

Initial boiling point and boiling range 260 °C

Flash point not applicable

(closed cup)

Evaporation rate not determined

Flammability (solid, gas)

Explosion limits of dust clouds not determined Vapor pressure 0.0089 Pa at 25 °C

Density 2.333 ^g/_{ml}

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature 311 °C

Viscosity not relevant (solid matter)

Explosive properties none Oxidizing properties none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Physical stresses which might result in a hazardous situation and have to be avoided strong shocks

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
sodium metasilicate, anhydrous	6834-92-0	oral	1,280
benzenesulfonic acid, C10-16 alkyl derivatives, sodium salts	68081-81-2	oral	500

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eve damage/eve irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

Carcinogenicity

• National Toxicology Program (United States):

none of the ingredients are listed

IARC Monographs

none of the ingredients are listed

Specific target organ toxicity (STOT)

Specific target organ toxicity - single exposure

May cause respiratory irritation.

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium carbonate	497-19-8	LC50	300 ^{mg} / _I	fish	96 hours
sodium carbonate	497-19-8	EC50	227 ^{mg} / _I	aquatic invertebrates	48 hours
Alcohols, C9-11 ethoxylated	68439-46-3	LC50	7 ^{mg} / _l	fish	96 hours
Alcohols, C9-11 ethoxylated	68439-46-3	EC50	2.5 ^{mg} / _l	aquatic invertebrates	48 hours

Aquatic toxicity (chronic)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium carbonate	497-19-8	LC50	385 ^{mg} / _I	fish	24 h
sodium carbonate	497-19-8	EC50	403 ^{mg} / _l	aquatic invertebrates	24 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Alcohols, C9-11 ethoxylated	68439-46-3		3.75	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	1759
------	-----------	------

14.2 UN proper shipping name CORROSIVE SOLID, N.O.S.

14.3 Transport hazard class(es)

Class 8 (corrosive substances)

14.4 Packing group III (substance presenting low danger)

14.5 Environmental hazards none (non-environmentally hazardous acc. to the dangerous goods regu-

lations)

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

• Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number 1759

Proper shipping name Corrosive solid, n.o.s.

Class 8
Packing group III
Danger label(s) 8



Special provisions (SP) 128, IB8, IP3, T1, TP33

ERG No 154

• International Maritime Dangerous Goods Code (IMDG)

UN number 1759

Proper shipping name CORROSIVE SOLID, N.O.S.

Class 8
Packing group III
Danger label(s) 8

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

EmS

F-A, S-B

Stowage category

B

223, 274

E1

5 kg

F-A, S-B

B

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1759

Proper shipping name Corrosive solid, n.o.s.

Class 8
Packing group III
Danger label(s) 8



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3, 274

E1

5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

SARA TITLE III (Superfund Amendment and Reauthorization Act)

List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section none of the ingredients are listed 302 and 304)

Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313) none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System (American Coatings Association)

Category	Rating	Description
Chronic	*	Chronic (long-term) health effects may result from repeated overexposure.
Health	3	Major injury likely unless prompt action is taken and medical treatment is given.
Flammability	1	Materials that must be preheated before ignition can occur.
Physical hazard	0	Materials that are normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosives.
Personal protective equipment	<u>-</u>	

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)

Category	Degree of hazard	Description
Flammability	1	Materials that must be preheated before ignition can occur.
Health	3	Materials that, under emergency conditions, can cause serious or permanent injury.
Instability	0	Materials that are normally stable, even under fire conditions.
Special hazard		

Proposition 65 List of chemicals

none of the ingredients are listed

Relevant European Union (EU) safety, health and environmental provisions

Classification according to GHS (1272/2008/EC, CLP)

Hazard class
skin corrosion/irritation
specific target organ toxicity - single exposure (respiratory tract irritation)

Category

1B
(Skin Corr. 1B)
(STOT SE 3)

SECTION 16: Other information, including date of preparation or last revision

16.2 Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR OSHA	29 CFR §1910.1001 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation
Acute Tox.	acute toxicity
ATE	Acute Toxicity Estimate
BCF	BioConcentration Factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1 Replaces version of: 2015-05-26 (GHS 1) Date of compilation: 2015-11-03

Abbr.	Descriptions of used abbreviations
IARC Monographs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant)
NFPA® 704	National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)
NPCA-HMIS®	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STOT SE	specific target organ toxicity - single exposure
vPvB	very Persistent and very Bioaccumulative

16.3 Key literature references and sources for data

- OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200 49 CFR § 172.101 Hazardous Materials Table (DOT)

16.4 Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

16.5

List of relevant phrases (code and full text as stated in chapter 2 and 3)

	//
Code	Text
H302	harmful if swallowed
H314	causes severe skin burns and eye damage
H315	causes skin irritation
H318	causes serious eye damage
H335	may cause respiratory irritation

acc. to OSHA, Appendix D to § 1910.1200

MVP Premium Red Vehicle Wash Powder

Version number: GHS 2.1
Replaces version of: 2015-05-26 (GHS 1)
Date of compilation: 2015-11-03

16.7 Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.